L.V. Lomas Ltd 99 Summerlea Rd Brampton; Ontario; L6T 4V2 Canada



CODE: Z ALD010

PRODUCT: Sulphur H10



Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER..... HOLLY INDUSTRIES

P.O. BOX 149 ACTON ON

CDN L7J 2M3

PACKAGING SIZE...... 50 lb. Sacks.

PRODUCT USE...... Industrial. CHEMICAL FAMILY...... Sulphur.

SYNONYMS...... Rubbermakers Sulphur H10.

24 HOUR EMERGENCY NUMBER:..... CALL Newalta Industrial Services 1-800-567-7455.

Section 02: COMPOSITION/INFORMATION ON INGREDIENTS

% LC/50 Route, Species Hazardous Ingredients **Exposure Limit** C.A.S.# LD/50, Route, Species

> 97.0 Not Indicated 7704-34-9 Oral Rat > 5,050 mg/kg Inhalation @ 90% Rat > Dermal Rat > 2,020 5.49 mg/L

mg/kg

Section 03: HAZARDS IDENTIFICATION

ROUTE OF ENTRY Eye contact. Skin contact. Inhalation. Ingestion. SKIN CONTACT..... May cause skin irritation. Avoid skin contact.

EYE CONTACT..... May cause eye irritation.

INGESTION..... Do not ingest.

INHALATION.... May cause irritation of nose, throat or respiratory tract. Avoid inhalation.

MEDICAL CONDITIONS AFFECTED BY None known.

EXPOSURE

Sulphur

SIGNS OF OVER EXPOSURE...... No additional remark.

Section 04: FIRST AID MEASURES

SKIN CONTACT...... Wash affected area immediately with large amounts of soap and water. If irritation

develops or persists, seek medical attention.

EYE CONTACT..... Immediately hold eyelids open and flush with water for at least 15 minutes. If irritation

develops or persists, seek medical attention.

INHALATION..... If affected, move to fresh air. If breathing has stopped, perform artificial respiration. If

breathing is difficult, administer oxygen. Seek immediate medical attention. Give victim two glasses of water. Never give anything by mouth to an unconscious person. INGESTION.....

Seek immediate medical attention.

NOTES TO PHYSICIAN..... Watch for delayed metabolic acidosis if ingested in large quantities. Treat symptomatically.

Section 05: FIRE FIGHTING MEASURES

FLASH POINT (°C), METHOD......AUTO IGNITION TEMPERATURE (°C)...... 207.2 C. 248 - 266 C. LOWER FLAMMABLE LIMIT (% VOL)........ UPPER FLAMMABLE LIMIT (% VOL)........ 35 g/m3. 1,400 g/m3. FLAMMABILITY..... Com I.

HAZARDOUS COMBUSTION PRODUCTS...

Sulphur dioxide and trioxide. UNUSUAL FIRE / EXPLOSION HAZARDS...

Assure all equipment is properly grounded to prevent static discharges, and vented to provide for potential energy release. Avoid heat, sparks and open flames. Avoid high dust

concentrations. Fire will rekindle until cooled below 154 C. Not sensitive.

SENSITIVITY TO MECHANICAL IMPACT

SENSITIVITY TO STATIC DISCHARGE...... Dust suspended in air in critical proportions and in the presence of an ignition source may

cause explosion.

EXTINGUISHING MEDIA..... Water spray, foam, dry powder or carbon dioxide.

00000273 **MATERIAL SAFETY DATA SHEET** Page 2 **PRODUCT: Sulphur H10** CODE: Z ALD010 Section 05: FIRE FIGHTING MEASURES SPECIAL FIRE FIGHTING PROCEDURES.. Avoid hose streams or any method which will create dust clouds. Evacuate all persons to a safe area. Use water spray to cool containers. Firefighters should wear protective equipment as required. Section 06: ACCIDENTAL RELEASE MEASURES LEAKS AND SPILLS..... Avoid creating dust. Use non-sparking tools. Eliminate sources of ignition. Use appropriate tools to put the spilled material in a convenient waste disposal container. Do not allow product to enter sewers or waterways. Wear protective clothing during cleanup. Section 07: HANDLING AND STORAGE HANDLING PROCEDURES...... Avoid contact with eyes and skin. Avoid inhalation and ingestion. Avoid creation of respirable dust. If airborne dust is generated, eliminate all sources of ignition that may come into contact with the dust. Use under well ventilated conditions. Wash skin thoroughly after handling and before eating or smoking. Use good industrial hygiene practices in handling this material. STORAGE NEEDS..... Do not store in open, unlabeled or mislabeled containers. Keep container tightly closed. . Post "NO SMOKING OR OPEN FLAMES" sign. Store in a cool, dry, well-ventilated area. Section 08: EXPOSURE CONTROLS / PERSONAL PROTECTION VENTILATION REQUIREMENTS...... Local ventilation may be required during certain operations to maintain concentrations below recommended exposure limits. PROTECTIVE EQUIPMENT EYE/TYPE Safety glasses with side Wear protective gloves. Safety glasses with sideshields, faceshield, and/or goggles to protect against airborne dust. RESPIRATORY/TYPE...... A NIOSH/OSHA approved dust respirator should be worn. Determine the appropriate type by consulting the respirator manufacturer. CLOTHING/TYPE...... Wear impervious clothing and boots to prevent skin contact. FOOTWEAR/TYPE...... No special footwear is required. BODY/TYPE..... No special protective clothing is required. Section 09: PHYSICAL AND CHEMICAL PROPERTIES PHYSICAL STATE..... Yellow flakes, prills, granules, pellets or pastilles. ODOUR..... Faint odour of rotten eggs. ODOUR THRESHOLD (ppm).....VAPOUR DENSITY (AIR=1).... Not available. Not available. BULK DENSITY..... Lumps 75 - 115 lbs/ft3; Powder 33 - 80 lbs/ft3. % VOLATILE..... Not available. VAPOUR PRESSURE (mm Hg)...... 0 mmHg @ 137.8 C. EVAPORATION RATE...... Not applicable. BOILING POINT (°C)..... 444 C. Not available. SOLUBILITY IN WATER (% W/W)...... Insoluble. SPECIFIC GRAVITY...... 2.07 @ 21.1 C. COEFFICIENT OF WATER\OIL Not applicable. DISTRIBUTION **Section 10: STABILITY AND REACTIVITY** HAZARDOUS POLYMERIZATION...... Will not occur. steel. CONDITIONS TO AVOID Keep away from excessive heat or open flame. Avoid generating dust. HAZARDOUS PRODUCTS OF Sulphur oxides. **DECOMPOSITION** Section 11: TOXICOLOGICAL INFORMATION TOXICITY EFFECTS ON ANIMALS...... Not available. TOXIC EFFECTS ON HUMANS..... Irritant in case of eye contact. Irritating to skin. CHRONIC EFFECTS ON HUMANS..... No specific information is available in our database regarding the other chronic toxic effects of this material for humans. CARCINOGENICITY..... No evidence of carcinogenic effects according to ACGIH or IARC. TERATOGENICITY..... No evidence of teratogen effects. MUTAGENICITY..... No evidence of mutagenic effects. REPRODUCTIVE EFFECTS...... No evidence of reproductive effects.

00000273	MATERIAL SAFETY DATA SHEET Page
PRODUCT: Sulphur H10	CODE: Z ALD010
•	12: ECOLOGICAL INFORMATION
ECOTOXICITY DATAPRODUCTS OF DEGRADATIONBIODEGRADABILITY	No specific information is available in our database regarding the degradation of this product.
Section	13: DISPOSAL CONSIDERATIONS
WASTE DISPOSAL	Dispose in a suitable waste treatment facility in compliance with all federal, provincial and local regulations.
Section	14: TRANSPORT INFORMATION
TDG CLASSIFICATION	Not regulated under TDG (Canada).
Section	15: REGULATORY INFORMATION
CEPA STATUSWHMIS CLASSIFICATION	All the ingredients are on the DSL list. This is not a WHMIS controlled product.
Section	on 16: OTHER INFORMATION
REFERENCES	905-458-7111. Regulatory Affairs